


The Settings window consists of several tabs, which are in the top.

Let's start with the first tab "Additional":




The "Do not send to offline contacts" checkbox leaves only online contacts in the sending list.

The "Send only to group" checkbox enables the combobox under it. This combobox contains all the groups in your Skype profile. Select a group and only contacts from this group will be left in the sending list.

The "Enable buddy status filtering" checkbox enables the combobox under it. From this combobox you can select either "Approved" to leave only approved contacts in the sending list, or "Unapproved" to leave only the unapproved ones.


Now, the second tab:



From this tab you can add, delete, modify, load, and save replacements. When Mercury MaxIM detects a replacement in the message text, it automatically replaces it with the defined contact info.

The 'Allow replacement' checkbox enables replacement. After you enable it, you have to add one or more replacements.

Under the replacement list there is a small toolbar. The first button is the 'Add replacement' button. When clicked, it opens the 'Add replacement'



window.

In the textbox next to the "Replace:" label, you should type the replace text. Absolutely every text can be replaced, however you are advised to put the text between curly braces {}. So, an example replace text can look like this: *{fullname}*.

Next to the "With:" label is the replacement type combobox. You can select "Contact skype name", "Contact full name", "Contact birthday", "Contact homepage" and "Contact first name". The contacts first name is the contact full name, cut after the first interval.

The next field is the casing combobox. It contains several casings.

- Do not touch – uses no casing
- Upper – all letters are in UPPER case
- Lower – all letters are in lower case
- Capital – the first letter is in UPPER case, the other in lower case

- Start with big letter – the first letter is in UPPER case
- Start with small letter – the first letter is in lower case

The “Accept” button closes the window and add the replacement to the list.


The next button in the toolbar is the delete button. When clicked it deletes the selected replacements.

The 3rd button in the toolbar is the edit button. It opens the selected replacement for editing.

The next button is the save button, it saves the replacement list to a file.

The last button is the load button, it loads the contacts list from a file.


The next tab is the Filters tab:



With filters, you can filter contacts by their names by wildcards or regular expressions patterns.

The “Allow advanced filters” checkbox enables filtering. The toolbar buttons are identical to these in the replacement tab, just apply to filters.


The add filter window looks like this:



In the text field you type the filter text. The “Use regular expressions” checkbox toggles the use of regular expressions. Otherwise, wildcards are used.

The filtering feature is for advanced users. Usually the Search Box in the main window can do the same job.

Finally, the last tab. It contains several settings:



The repeating numeric box(next to the “Send times: “ label) is disabled by default, because it can be used for spam. To enabled it, you need a special key. When you have that key, click the Unlock button(with a key) next to the field, and paste the key in the textbox that has opened.

The “Load template automatically at start” feature enables the program to load a template when starting. With the “Browse...” button you can select the template you want to use, then click the Commit button to accept changes. To disable this feature, click the Disable button.

With the “Load...” and “Save...” buttons on the bottom of the window you can save or load settings.

Copyright 2008 all rights reserved AMISC LLC